## Section C

## Research Methods

Answer all questions in this section.

1 1

A researcher wanted to compare the effectiveness of two therapies for young offenders who had been identified as having anger management issues. Offenders, who were all sentenced to two years in a Young Offenders' Institution, were asked to volunteer to take part in an anger management programme. Fifty volunteers were randomly allocated to Group 1 (Therapy A) or Group 2 (Therapy B).


Each participant's anger was assessed before and after therapy. For the **pre-therapy anger score** they completed an Anger Scale questionnaire and their responses were scored. A high score indicated extreme anger and a low score indicated mild anger.

For the next eight weeks, participants attended weekly sessions for either Therapy A or Therapy B.

For the **post-therapy anger score**, at the end of the treatment period, participants completed the same Anger Scale questionnaire.

The data obtained are shown in Figure 1 below.

Figure 1 Median anger scores before and after therapy for Group 1 (Therapy A) and Group 2 (Therapy B)



Question 11 continues on the next page



11.1	The researcher used volunteers for this study. Outline <b>one</b> disadvantage of using volunteers to take part in this study.  [2 mark	:s]
1 1 . 2	Explain how the researcher could allocate the volunteers randomly to the conditions of the experiment.	
	[3 mark	s]
		_
		—



1 1 . 3	Write a suitable hypothesis for this study.  [3 mark	s]
11.4	What do the data in <b>Figure 1</b> seem to suggest?  [3 marks	s]
	Question 11 continues on the next page	



1 1 . 5	Explain how the study might be improved by using a matched pairs design.  [4 marks]
1 1 . 6	
	Outline <b>one</b> ethical issue that might have occurred in this study and explain how the researcher could have dealt with this issue.  [4 marks]



11.7	Give <b>one</b> disadvantage of using median values as seen in <b>Figure 1</b> to represent the anger scores of participants.  [1 mark]	
1 1 . 8	Explain how demand characteristics might have occurred in this study.  [2 marks]	_
		- - -
1 1 . 9	The researcher used a questionnaire to assess the anger scores of the offenders. Briefly discuss <b>one</b> strength of using questionnaires in research.  [2 marks]	-
		-
	END OF QUESTIONS	24



Turn over ▶